






















订货信息

| 订货号 | LZ | PG |
|---|--|----|
| EMB8000 48 A – 0103 | 680348-0103 | ● |
| 应用: 排烟排热系统模块化控制箱 EMB8000, 工厂组装和接线 | | |
|  | 技术参数 (额定值) 操作电压: 230 V AC (195 – 253 V AC, 50/60 Hz) 额定功率: 1152 W 输出电压: 24 V DC (20 – 28 V DC / 0,5 Vpp) 输出电流: 48 A 连接和功能: 详见具体的模块 外壳: 明装, 钢制, RAL 7035 (浅灰色) 尺寸 (WxHxD): 600 x 600 x 250 mm | |
| | 排烟组: 1 (1 CM) 通风组: 3 (3DM) 备用电池: 2 x 12 V / 17Ah (订购号 543000) VdS证书号: G 512005 | |
| 模块顺序 |  | |
| EMB8000 48 A – 0104 | 680348-0104 | ● |
| 排烟组: 1 (1 CM) 通风组: 4 (4 DM) 备用电池: 2 x 12 V / 17 Ah (订购号543000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0105 | 680348-0105 | ● |
| 排烟组: 1 (1 CM) 通风组: 5 (5 DM) 备用电池: 2 x 12 V / 24 Ah (订购号544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0106 | 680348-0106 | ● |
| 排烟组: 1 (1 CM) 通风组: 6 (6 DM) 备用电池: 2 x 12 V / 24 Ah (订购号544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0109 | 680348-0109 | ● |
| 排烟组: 1 (1 CM) 通风组: 9 (9 DM) 备用电池: 2 x 12 V / 24 Ah (订购号544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0112 | 680348-0112 | ● |
| 外壳: 600 x 800 x 250 mm 排烟组: 1 (1 CM) 通风组: 12 (12 DM) 备用电池: 2 x 12 V / 24 Ah (订购号544000) | | |
| 模块顺序 |  | |








订货信息

| 订货号 | LZ | PG |
|---|---|----|
| EMB8000 48 A – 0203 | 680348-0203 | ● |
| 应用: 排烟排热系统模块化控制箱EMB8000, 工厂组装和接线 | | |
|  | 技术参数 (额定值) 操作电压: 230 V AC (195 – 253 V AC, 50/60 Hz) 额定功率: 1152 W 输出电压: 24 V DC (20 – 28 V DC / 0,5 Vpp) 输出电流: 48 A 连接和功能: 详见具体的模块 外壳: 明装, 钢制, RAL 7035 (浅灰色) 尺寸 (WxHxD): 600 x 600 x 250 mm | |
| | 排烟组: 2 (1 CM+1SM) 通风组: 3 (3DM) 备用电池: 2 x 12 V / 24 Ah (订购号 544000) VdS证书号: G 512005 | |
| 模块顺序 |  | |
| EMB8000 48 A – 0204 | 680348-0204 | ● |
| 排烟组: 2 (1 CM + 1 SM) 通风组: 4 (4 DM) 备用电池: 2 x 12 V / 24 Ah (订购号 544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0205 | 680348-0205 | ● |
| 排烟组: 2 (1 CM + 1 SM) 通风组: 5 (5 DM) 备用电池: 2 x 12 V / 24 Ah (订购号 544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0206 | 680348-0206 | ● |
| 排烟组: 2 (1 CM + 1 SM) 通风组: 6 (6x DM) 备用电池: 2 x 12 V / 24 Ah (订购号 544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0207 | 680348-0207 | ● |
| 排烟组: 2 (1 CM + 1 SM) 通风组: 7 (7 DM) 备用电池: 2 x 12 V / 24 Ah (订购号544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0209 | 680348-0209 | ● |
| 排烟组: 2 (1 CM + 1 SM) 通风组: 9 (9 DM) 备用电池: 2 x 12 V / 24 Ah (订购号544000) | | |
| 模块顺序 |  | |

订货信息

| 订货号 | LZ | PG |
|---|---|----|
| EMB8000 48 A – 0303 | 680348-0303 | ● |
| 应用: 排烟排热系统模块化控制箱 EMB8000, 工厂组装和接线 | | |
|  | 技术参数 (额定值) 操作电压: 230 V AC (195 – 253 V AC, 50/60 Hz) 额定功率: 1152 W 输出电压: 24 V DC (20 – 28 V DC / 0,5 Vpp) 输出电流: 48 A 连接和功能: 详见具体的模块 外壳: 明装, 钢制, RAL 7035 (浅灰色) 尺寸 (WxHxD): 600 x 600 x 250 mm | |
| | 排烟组: 3 (1 CM+2SM) 通风组: 3 (3DM) 备用电池: 2 x 12 V / 24 Ah (订购号 544000) VdS证书号: G 512005 | |
| 模块顺序 |  | |
| EMB8000 48 A – 0304 | 680348-0304 | ● |
| 排烟组: 3 (1 CM + 2 SM) 通风组: 4 (4 DM) 备用电池: 2 x 12 V / 24 Ah (订购号544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0305 | 680348-0305 | ● |
| 排烟组: 3 (1 CM + 2 SM) 通风组: 5 (5 DM) 备用电池: 2 x 12 V / 24 Ah (订购号 544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0306 | 680348-0306 | ● |
| 排烟组: 3 (1 CM + 2 SM) 通风组: 6 (6 DM) 备用电池: 2 x 12 V / 24 Ah (订购号544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0307 | 680348-0307 | ● |
| 排烟组: 3 (1 CM + 2 SM) 通风组: 7 (7 DM) 备用电池: 2 x 12 V / 24 Ah (订购号544000) | | |
| 模块顺序 |  | |
| EMB8000 48 A – 0310 | 680348-0310 | ● |
| 外壳: 600 x 800 x 250 mm 排烟组: 3 (1 CM + 2 SM) 通风组: 10 (10 DM) 备用电池: 2 x 12 V / 24 Ah (订购号 544000) | | |
| 模块顺序 |  | |

订货信息

| | 订购号 | LZ | PG |
|--|---|----|----|
| EMB8000 48 A – 0404 | 680348-0404 | ● | |
| 应用: 排烟排热系统模块化控制箱 EMB8000, 工厂组装和接线 | | | |
|  | 技术参数 (额定值) 操作电压: 230 V AC (195 – 253 V AC, 50/60 Hz) 额定功率: 1152 W 输出电压: 24 V DC (20 – 28 V DC / 0,5 Vpp) 输出电流: 48 A 连接和功能: 详见具体的模块 外壳: 明装, 钢制, RAL 7035 (浅灰色) 尺寸 (WxHxD): 600 x 600 x 250 mm | | |
| | 排烟组: 4(1 CM+3 SM) 通风组: 4 (4 DM) 备用电池: 2 x 12 V / 24 Ah (订购号 544000) VdS证书号: G 512005 | | |
| 模块顺序 |  | | |
| EMB8000 48 A – 0406 | 680348-0406 | ● | |
| 排烟组: 4 (1 CM + 3 SM) 通风组: 6 (6 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000) | | | |
| 模块顺序 |  | | |
| EMB8000 48 A – 0408 | 680348-0408 | ● | |
| 外壳: 600 x 800 x 250 mm 排烟组: 4 (1 CM + 3 SM) 通风组: 8 (8 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000) | | | |
| 模块顺序 |  | | |
| EMB8000 48 A – 0505 | 680348-0505 | ● | |
| 排烟组: 5 (1 CM + 4 SM) 通风组: 5 (5 DM) 备用电池: 2 x 12 V / 38 Ah (订购号 545000) | | | |
| 模块顺序 |  | | |
| EMB8000 48 A – 0508 | 680348-0508 | ● | |
| 外壳: 600 x 800 x 250 mm 排烟组: 5 (1 CM + 4 SM) 通风组: 8 (8 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000) | | | |
| 模块顺序 |  | | |
| EMB8000 48 A – 0510 | 680348-0510 | ● | |
| 外壳: 600 x 800 x 250 mm 排烟组: 5 (1 CM + 4 SM) 通风组: 10 (10 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000) | | | |
| 模块顺序 |  | | |