















订货信息

	订购号	LZ	PG
<b>EMB8000 72 A – 0105</b>	<b>680372-0105</b>	●	
应用: 排烟排热系统模块化控制箱 EMB8000, 工厂组装和接线			
	技术参数 (额定值) 操作电压: 230 V AC (195 – 253 V AC, 50/60 Hz) 额定功率: 1728 W 输出电压: 24 V DC (20 – 28 V DC / 0,5 Vpp) 输出电流: <b>72 A</b> 连接和功能: 详见具体的模块 外壳: 明装, 钢制, RAL 7035 (浅灰色) 尺寸 (WxHxD): 600 x 800 x 250 mm		
	排烟组: 1(1 CM) 通风组: 5 (5 DM) 备用电池: 2 x 12 V / 24 Ah (订购号 544000) VdS证书号: G 512005		
模块顺序			
<b>EMB8000 72 A – 0106</b>	<b>680372-0106</b>	●	
排烟组: 1 (1 CM) 通风组: 6 (6 DM) 备用电池: 2 x 12 V / 24 Ah (订购号544000)			
模块顺序			
<b>EMB8000 72 A – 0107</b>	<b>680372-0107</b>	●	
排烟组: 1 (1 CM) 通风组: 7 (7 DM) 备用电池: 2 x 12 V / 38 Ah (订购号 545000)			
模块顺序			
<b>EMB8000 72 A – 0108</b>	<b>680372-0108</b>	●	
排烟组: 1 (1 CM) 通风组: 8 (8 DM) 备用电池: 2 x 12 V / 38 Ah (订购号 545000)			
模块顺序			
<b>EMB8000 72 A – 0109</b>	<b>680372-0109</b>	●	
排烟组: 1 (1 CM) 通风组: 9 (9 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000)			
模块顺序			
<b>EMB8000 72 A – 0110</b>	<b>680372-0110</b>	●	
排烟组: 1 (1 CM) 通风组: 10 (10 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000)			
模块顺序			

### 订货信息

订货号	LZ	PG
<b>EMB8000 72 A – 0206</b>	<b>680372-0206</b>	<b>●</b>
应用: 排烟排热系统模块化控制箱 EMB8000, 工厂组装和接线		
	<b>技术参数 (额定值)</b> 操作电压: 230 V AC (195 – 253 V AC, 50/60 Hz) 额定功率: 1728 W 输出电压: 24 V DC (20 – 28 V DC / 0,5 Vpp) 输出电流: <b>72 A</b> 连接和功能: 详见具体的模块 外壳: 明装, 钢制, RAL 7035 (浅灰色) 尺寸 (WxHxD): 600 x 800 x 250 mm	
	排烟组: 2(1 CM+1 SM) 通风组: 6 (6 DM) 备用电池: 2 x 12 V / 38 Ah (订购号 545000) VdS证书号: G 512005	
模块顺序		
<b>EMB8000 72 A – 0208</b>	<b>680372-0208</b>	<b>●</b>
排烟组: 2 (1 CM + 1 SM) 通风组: 8 (8 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000)		
模块顺序		
<b>EMB8000 72 A – 0210</b>	<b>680372-0210</b>	<b>●</b>
排烟组: 2 (1 CM + 1 SM) 通风组: 10 (10 DM) 备用电池: 2 x 12 V / 38 Ah (订购号 545000)		
模块顺序		
<b>EMB8000 72 A – 0306</b>	<b>680372-0306</b>	<b>●</b>
排烟组: 3 (1 CM + 2 SM) 通风组: 6 (6 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000)		
模块顺序		
<b>EMB8000 72 A – 0309</b>	<b>680372-0309</b>	<b>●</b>
排烟组: 3 (1 CM + 2 SM) 通风组: 9 (9 DM) 备用电池: 2 x 12 V / 38 Ah (订购号 545000)		
模块顺序		
<b>EMB8000 72 A – 0310</b>	<b>680372-0310</b>	<b>●</b>
排烟组: 3 (1 CM + 2 SM) 通风组: 10 (10 DM) 备用电池: 2 x 12 V / 38 Ah (订购号 545000)		
模块顺序		

订货信息

	订购号	LZ	PG
<b>EMB8000 72 A – 0407</b>	<b>680372-0407</b>	●	
应用: 排烟排热系统模块化控制箱 EMB8000, 工厂组装和接线			
	<b>技术参数 (额定值)</b> 操作电压: 230 V AC (195 – 253 V AC, 50/60 Hz) 额定功率: 1728 W 输出电压: 24 V DC (20 – 28 V DC / 0,5 Vpp) 输出电流: <b>72 A</b> 连接和功能: 详见具体的模块 外壳: 明装, 钢制, RAL 7035 (浅灰色) 尺寸 (WxHxD): 600 x 800 x 250 mm  排烟组: 4(1 CM+3 SM) 通风组: 7 (7 DM) 备用电池: 2 x 12 V / 38 Ah (订购号 545000) VdS证书号: G 512005		
	模块顺序: 		
<b>EMB8000 72 A – 0410</b>	<b>680372-0410</b>	●	
排烟组: 4 (1 CM + 3 SM) 通风组: 10 (10 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000)			
模块顺序: 			
<b>EMB8000 72 A – 0505</b>	<b>680372-0505</b>	●	
排烟组: 5 (1 CM + 4 SM) 通风组: 5 (5 DM) 备用电池: 2 x 12 V / 38 Ah (订购号 545000)			
模块顺序: 			
<b>EMB8000 72 A – 0510</b>	<b>680372-0510</b>	●	
排烟组: 5 (1 CM + 4 SM) 通风组: 10 (10 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000)			
模块顺序: 			
<b>EMB8000 72 A – 0606</b>	<b>680372-0606</b>	●	
排烟组: 6 (1 CM + 5 SM) 通风组: 6 (6 DM) 备用电池: 2 x 12 V / 38 Ah (订购号 545000)			
模块顺序: 			
<b>EMB8000 72 A – 0608</b>	<b>680372-0608</b>	●	
排烟组: 6 (1 CM + 5 SM) 通风组: 8 (8 DM) 备用电池: 2 x 12 V / 38 Ah (订购号545000)			
模块顺序: 			

SHEV – 模块化排烟控制箱